

Setting Xampp dan IIS dalam Satu Mesin

Arief Susanto

me@kandaarief.com

www.kandaarief.com

Lisensi Dokumen:

Copyright © 2003-2015 IlmuKomputer.Com

Seluruh dokumen di IlmuKomputer.Com dapat digunakan, dimodifikasi dan disebarkan secara bebas untuk tujuan bukan komersial (nonprofit), dengan syarat tidak menghapus atau merubah atribut penulis dan pernyataan copyright yang disertakan dalam setiap dokumen. Tidak diperbolehkan melakukan penulisan ulang, kecuali mendapatkan ijin terlebih dahulu dari IlmuKomputer.Com.

Abstrak

Ketika di mesin kita sudah ada aplikasi Xampp kemudian kita menginstall IIS, kemungkinan besar akan terjadi down pada Xampp kita dan tergantikan oleh IIS. Hal tersebut terjadi karena Port yang di gunakan oleh IIS dan Xampp / Web Server sama. Sehingga yang dapat dilakukan oleh kita adalah mengubah port pada salah satu Mesin.

Saya akan mencoba untuk mengubah port Xampp pada mesin saya. Selamat mengikuti

Isi

Saya Asumsikan bahwa Xampp Saya terletak pada Drive D ;

1. Buka Drive **D:\xampp\apache\conf**

Name	Date modified	Type	Size
extra	10/13/2014 9:38 PM	File folder	
ssl.crl	10/13/2014 9:31 PM	File folder	
ssl.crt	10/13/2014 9:31 PM	File folder	
ssl.csr	10/13/2014 9:31 PM	File folder	
ssl.key	10/13/2014 9:31 PM	File folder	
charset.conv	7/21/2009 5:00 AM	CONV File	2 KB
httpd.conf	10/13/2014 9:38 PM	CONF File	19 KB
magic	7/21/2009 5:00 AM	File	14 KB
mime.types	7/21/2009 5:00 AM	TYPES File	32 KB

2. Buka **httpd.conf** bisa dengan texteditor Notepad

Pada Bagian Listen Port Ubah lah

```
#Listen 0.0.0.0:80
```

```
#Listen [::]:80
```

```
Listen 80
```

Menjadi

```
#Listen 0.0.0.0:80
```

```
#Listen [::]:80
```

```
Listen 8080Kemudian Ubahlah
```

```
ServerName localhost:80
```

Menjadi

```
ServerName localhost:8080
```

- Buka file **httpd-ssl.conf** yang terletak pada direktori **xampp\apache\conf\extra** menggunakan Teks Editor seperti Notepad atau yang lainnya.

Name	Date modified	Type	Size
httpd-ajp.conf	3/8/2011 4:36 PM	CONF File	1 KB
httpd-autoindex.conf	10/13/2014 9:38 PM	CONF File	3 KB
httpd-dav.conf	10/13/2014 9:38 PM	CONF File	3 KB
httpd-default.conf	10/13/2014 9:38 PM	CONF File	3 KB
httpd-info.conf	10/13/2014 9:38 PM	CONF File	2 KB
httpd-languages.conf	10/13/2014 9:38 PM	CONF File	6 KB
httpd-mpm.conf	10/13/2014 9:38 PM	CONF File	4 KB
httpd-multilang-errordoc.conf	10/13/2014 9:38 PM	CONF File	3 KB
httpd-perl.conf	10/13/2014 9:38 PM	CONF File	1 KB
httpd-perl-asp.conf	10/13/2014 9:38 PM	CONF File	1 KB
httpd-perl-usb.conf	3/8/2011 4:36 PM	CONF File	0 KB
httpd-proxy.conf	3/8/2011 4:36 PM	CONF File	1 KB
httpd-ssl.conf	10/13/2014 9:38 PM	CONF File	11 KB
httpd-userdir.conf	10/13/2014 9:38 PM	CONF File	1 KB
httpd-vhosts.conf	10/13/2014 9:38 PM	CONF File	2 KB
httpd-xampp.conf	10/13/2014 9:38 PM	CONF File	4 KB
startup.pl	3/19/2011 3:49 PM	PL File	1 KB

Ubahlah port Listen

```
#Listen 0.0.0.0:443
```

```
#Listen [::]:443
```

```
Listen 443
```

Menjadi

```
#Listen 0.0.0.0:4499
```

```
#Listen [::]:4499
```

```
Listen 4499
```

Ubahlah Port Listen

```
<VirtualHost_default_:443>
```

Menjadi

```
<VirtualHost_default_:4499>
```

Ubahlah ServerName

```
ServerName localhost:443
```

Menjadi

```
ServerName localhost:4499
```

4. Penampakan IIS dan XAMPP



Arief Susanto

Kanda Arief, Tinggal di Bekasi. Saat ini bekerja di Perusahaan Logistik di Jakarta. Selain itu juga senang di bidang Infrastruktur IT, Software Development. Linux. Juga Bidang Pendidikan baik formal maupun Informal.

Link :

Website : www.kandaarief.com

Mail : me@kandaarief.com

Linkedin : [id.linkedin.com/pub/arief-susanto/43/724/31a](https://www.linkedin.com/pub/arief-susanto/43/724/31a)

KandaArief
www.kandaarief.com